

Author Index

- ACKER, G.M. *see* NOUN, A.
- ALDERUCCIO, F., WITHERDEN, D., TOH, B.H. & BARNETT, A. Autoantibody to gp50, a glycoprotein shared in common between fibroblasts and lymphocytes, in progressive systemic sclerosis, 26
- ALEXANDER, N.J. *see* KURPISZ, M.
- ALKAN, S.S. *see* WIESENBERG, I.
- AMENGUAL, M.J., CATALFAMO, M., PUJOL, A., JUAREZ, C., GELPI, C. & RODRIGUEZ, J.L. Autoantibodies in chronic delta virus infection recognize a common protein of 46 kD in rat forestomach basal cell layer and stellate thymic epithelial cells, 79
- AMINO, N. *see* IWATANI, Y.
- ANDERSON, T.L. *see* KURPISZ, M.
- ANSELL, B.M. *see* KNIGHT, S.C.
- ANTOINE, J.C. *see* NOUN, A.
- APPELBERG, R. & SILVA, M.T. T cell-dependent chronic neutrophilia during mycobacterial infections, 478
- APPLEBY, P., VENABLES, P.J.W., BOOTH, J., WILLIAMS, D.G., ROFFE, L.M. & MAINI, R.N. Murine graft-versus-host disease as a model of systemic lupus erythematosus: effect of immunosuppressive drugs on disease development, 454
- ARAYA, S. *see* KUMAGAI, S.
- ATKINSON, E.G., DINNING, W.J., KASP, E., GRAHAM, E.M. & DUMONDE, D.C. Precipitation of experimental allergic uveoretinitis by cyclosporin A withdrawal: an experimental model of uveitis relapse, 107
- BABOONIAN, C., VENABLES, P.J.W., BOOTH, J., WILLIAMS, D.G., ROFFE, L.N. & MAINI, R.N. Virus infection induces redistribution and membrane localization of the nuclear antigen La (SS-B): a possible mechanism for autoimmunity, 454
- BAGSHAW, K.D. *see* BEGENT, R.H.J.
- BAG, S., OLSSON, O., OLSSON, T., LOVE, A., JEANSSON, S. & LINK, H. Cells producing antibody to measles and herpes simplex virus in cerebrospinal fluid and blood of patients with multiple sclerosis and controls, 390
- BARBAGALLO SANGIORGI, G. *see* LI VECCHI, M.
- BARGE, J. *see* DROMER, F.
- BARNETT, A. *see* ALDERUCCIO, F.
- BARRATT, G.M. *see* BEGENT, R.H.J.
- BATES, E.J. *see* FERRANTE, A.
- BEARD, M.E.J. *see* STARLING, G.C.
- BEAUCAIRE, G. *see* HOBER, D.
- BECHTOLD, D. *see* PETRASCH, S.
- BECKER, G. *see* MULLER, C.P.
- BECKERS, P. *see* GRAVES, P.M.
- BEGENT, R.H.J., CHESTER, K.A., BAGSHAW, K.D., KEEP, P.A., SEARLE, F., BODEN, J., BARRATT, G.M., GREEN, A.J., RIGGS, S.J. & WOODROW, D.F. Second antibody for improvement of antibody imaging: liposome-entrapped and free preparations in animal and human studies, 307.
- BESSLER, W.G. *see* MULLER, C.P.
- BHATIA, K. *see* GRAVES, P.M.
- BIRNIE, G.D. *see* MOFFAT, G.J.
- BJORK, J. *see* KLEINAU, S.
- BODEN, J. *see* BEGENT, R.H.J.
- BOISSIER, M.C., CHIOCCHIA, G., TEXIER, B. & FOURNIER, C. Pattern of humoral reactivity to type II collagen in rheumatoid arthritis, 177
- BOOTH, J. *see* APPLEBY, P.
- BOOTH, J. *see* BABOONIAN, C.
- BOYCE, J. *see* TIPPING, P.G.
- BRANDTZAEG, P. *see* MULLER, F.
- BREEDVELD, F.C. *see* HEURKENS, A.H.M.
- BRENNAN, F.M. *see* FIELD, M.
- BRESSON, J.L. *see* VUITTON, D.A.
- BRESSON-HADNI, S. *see* VUITTON, D.A.
- BRESSON-HADNI, S., VUITTON, D.A., LENYS, D., LIANCE, M., RACADOT, E. & MIGUET, J.P. Cellular immune response in *Echinococcus multilocularis* infection in humans. I. Lymphocyte reactivity to *Echinococcus* antigens in patients with alveolar echinococcosis, 61
- BRITTINGER, G. *see* PETRASCH, S.
- BROWN, D.L. *see* McELROY, P.J.
- BRYANT, A. *see* ROZYSKA, K.E.
- BUHRING, H.J. *see* MULLER, C.P.
- BURKOT, T.R. *see* GRAVES, P.M.
- BUTKOWSKI, R. *see* SAXENA, R.
- BUURMAN, W.A. *see* DEBETS, J.M.H.
- BYGREN, P. *see* SAXENA, R.
- CAPRON, A. *see* HOBER, D.
- CAPRON, A. *see* PRIN, L.
- CAPRON, M. *see* PRIN, L.
- CASTRONOVO, V. *see* LI VECCHI, M.
- CATALFAMO, M. *see* AMENGUAL, M.J.
- CHAPOT, M.-P. *see* MAGNUSSON, Y.
- CHARLESWORTH, J.A. *see* PEAKE, P.W.
- CHESTER, K.A. *see* BEGENT, R.H.J.
- CHEUNG, A.K., PARKER, C.J. & WILCOX, L. Effects of two types of cobra venom factor on porcine complement activation and pulmonary artery pressure, 299
- CHIOCCHIA, G. *see* BOISSIER, M.C.
- CHOUAT, G. *see* NOUN, A.
- CHOWERS, Y. *see* MEKORI, Y.A.
- CLARK, C. *see* KRUG, H.E.
- CLARK, G.F. *see* KURPISZ, M.
- COLIC, M. *see* KANARIU, M.
- D'APICE, A.J.F. *see* POLLOCK, B.J.
- DAHA, M.R. *see* HEURKENS, A.H.M.
- DAHA, M.R. *see* VAN DER WOUDE, F.J.
- DAVIDSON, S.E. *see* STARLING, G.C.
- DAVIN, J.C. *see* LI VECCHI, M.
- DE GAST, G.C. *see* WISMANS, P.J.
- DE VRIES, J.E. *see* PASTORELLI, G.
- DEBETS, J.M.H., RUERS, T.J.M., VAN DER LINDEN, M.P.M.H., VAN DER LINDEN, C. & J. & BUURMAN, W.A. Inhibitory effect of corticosteroids on the secretion of tumour necrosis factor (TNF) by monocytes is dependent on the stimulus inducing TNF synthesis, 244
- DENIS, M., FORGET, A. & SKAMENE, E. Identification and characterization of a BCG antigen expressed at the membrane surface of *in vitro* infected mouse peritoneal macrophages, 126
- DESHPANDE, L. *see* RAJASEKARIAH, G.R.
- DINNING, W.J. *see* ATKINSON, E.G.
- DIXEY, J. *see* KNIGHT, S.C.
- DROMER, F., PERRONNE, C., BARGE, J., VILDE, J.L. & YENI, P. Role of IgG and complement component C5 in the initial course of experimental cryptococcosis, 412
- DRUCKER, I. *see* MEKORI, Y.A.
- DUMONDE, D.C. *see* ATKINSON, E.G.
- DUNCAN, J.I. *see* HORROCKS, C.
- EDWARDS, A. *see* ROZYSKA, K.E.
- ELKON, K.B. *see* GHARAVI, A.E.
- ENDEMAN, H.J. *see* WISMANS, P.J.
- ENDO, M. *see* SAKAI, H.
- ENESTROM, S. *see* HULTMAN, P.
- FARRANT, J. & WEBSTER, A.D.B. B cell-cytokine reactions: lessons from clinical immunology, 321
- FARRANT, J. *see* ROZYSKA, K.E.

- FERNANDEZ, L.A., MACSWEEN, J.M. & ROBSON, D.A. Feedback suppression of B cell colony formation in healthy individuals, 314
- FERRANTE, A., HARVEY, D.P. & BATES, E.J. *Staphylococcus aureus*-stimulated mononuclear leucocyte-conditioned medium increases the neutrophil bactericidal activity, and augments oxygen radical production and degranulation in response to the bacteria, 366
- FIELD, M., NELSON, R.D., BRENNAN, F.M., WILLIAMS, D.G., SCHREIBER, L., MCCARTHEY, D.A. & MAINI, R.N. Rapid clearance of the lupus antigen Sm is delayed by autoantibody: a possible mechanism of autoimmunity perpetuation, 460
- FOIDART, J.B. *see* LI VECCHI, M.
- FOIDART, J.M. *see* LI VECCHI, M.
- FONT, J. *see* MARTORELL, J.
- FONTAN, G. *see* JIMENEZ, A.
- FORGET, A. *see* DENIS, M.
- FORMSTECHER, P. *see* PRIN, L.
- FORRE, O. *see* RANDEN, I.
- FOURNIER, C. *see* BOISSIER, M.C.
- FROLAND, S.S. *see* MULLER, F.
- FRYER, P. *see* KNIGHT, S.C.
- FUKATA, S. *see* IWATANI, Y.
- FUNAUCHI, M. *see* MINODA, M.
- GARABEDIAN, M. *see* NOUN, A.
- GAVRILOVIC, L. *see* PEAKE, P.W.
- GELPI, C. *see* AMENGUAL, M.J.
- GHARAVI, A.E., MELLORS, R.C. & ELKON, K.B. IgG anti-cardiolipin antibodies in murine lupus, 233
- GILLET, M. *see* VUITTON, D.A.
- GRAHAM, E.M. *see* ATKINSON, E.G.
- GRAVES, P.M., BHATIA, K., BURKOT, T.R., PRASAD, M., WIRTZ, R.A. & BECKERS, P. Association between HLA types and antibody response to malaria sporozoite and gaetocyte epitopes is not evident in immune Papua New Guineans, 418
- GREAVES, M. *see* HOLT, C.M.
- GREEN, A.J. *see* BEGENT, R.H.J.
- GRIFFITHS, S. *see* KNIGHT, S.C.
- GUART, V. *see* PRIN, L.
- GUERET-STOCKER, S. *see* VUITTON, D.A.
- GUILLET, J.-G. *see* MAGNUSSON, Y.
- GUPTA, S.K. *see* MOUDGIL, K.D.
- HAMADA, K. *see* MINODA, M.
- HAQUE, A. *see* HOBER, D.
- HARDING, B. *see* KNIGHT, S.C.
- HART, D.N.J. *see* STARLING, G.C.
- HARVEY, D.P. *see* FERRANTE, A.
- HASHIMURA, H. *see* MATSUMOTO, T.
- HATAKEYAMA, M., MINATO, N. & KANO, S. Proliferative responsiveness of B cells from autoimmune NZB mice to anti-immunoglobulin and interleukin-4, 465
- HAYASHI, Y., UTSUYAMA, M., KURASHIMA, C. & HIROKAWA, K. Spontaneous development of organ-specific autoimmune lesions in aged C57BL/6 mice, 119
- HEDENBORG, M. *see* KLOCKARS, M.
- HELLSTROM, U.B. *see* SYLVAN, S.P.E.
- HENDERSON, F.I. *see* MCELROY, P.J.
- HEURKENS, A.H.M., HIEMSTRA, P.S., LAFFEBER, G.J.M., DAHA, M.R. & BREEDVELD, F.C. Anti-endothelial cell antibodies in patients with rheumatoid arthritis complicated by vasculitis, 7
- HIEMSTRA, P.S. *see* HEURKENS, A.H.M.
- HIGASHIKAWA, M. *see* MINODA, M.
- HIKI, M. *see* MATSUMOTO, T.
- HIMENO, K. *see* OKA, M.
- KIROKAWA, K. *see* HAYASHI, Y.
- HJALMARSON, A. *see* MAGNUSSON, Y.
- HOBER, D., HAQUE, A., WATTRE, P., BEAUCAIRE, G., MOUTON, Y. & CAPRON, A. Production of tumour necrosis factor alpha (TNF- α) and interleukin-1 (IL-1) in patients with AIDS. Enhanced level of TNF- α is related to a higher cytotoxic activity, 329
- HOEBEKE, J. *see* MAGNUSSON, Y.
- HOLDSWORTH, S.R. *see* TIPPING, P.G.
- HOLLAND, G.P. & STEWARD, M.W. Antibody affinity maturation: the role of CD8⁺ cells, 488
- HOLMDAHL, R. *see* KLEINAU, S.
- HOLT, C.M., LINDSEY, N., MOULT, J., MALIA, R.G., GREAVES, M., HUME, A., NOWELL, N.R. & HUGHES, P. Antibody-dependent cellular cytotoxicity of vascular endothelium: characterization and pathogenic associations in systemic sclerosis, 359
- HORIUCHI, A. *see* MINODA, M.
- HORROCKS, C., ORMEROD, A.D., DUNCAN, J.I. & THOMSON, A.W. Influence of systemic cyclosporin A on interleukin-2 and epidermal growth factor receptor expression in psoriatic skin lesions, 166
- HOWARD, J.C. *see* YOUSSEF, N.
- HOYER, S. *see* MAGNUSSON, Y.
- HUBY, R. *see* KANARIOU, M.
- HUGHES, P. *see* HOLT, C.M.
- HULTMAN, P., ENESTROM, S., POLLARD, K.M. & TAN, E.M. Anti-fibrillar autoantibodies in mercury-treated mice, 470
- HUME, A. *see* HOLT, C.M.
- HUSSAIN, T. *see* RAVINDAN, B.
- ICHIHARA, K. *see* IWATANI, Y.
- IMURA, H. *see* KUMAGAI, S.
- INGELMO, M. *see* MARTORELL, J.
- ISHIDA, H. *see* KUMAGAI, S.
- ISOBE, T. *see* KLOCKARS, M.
- ITO, Y. *see* OKA, M.
- ITOH, Y. *see* SHIGEMOTO, K.
- IWAI, K. *see* KUMAGAI, S.
- IWATANI, Y., AMINO, N., KANEDA, T., ICHIHARA, K., TAMAKI, H., TACHI, J., MATSUZUKA, F., FUKUTA, S., KUMA, K. & MIYAKI, K. Marked increase of CD5⁺ B cells in hyperthyroid Graves' disease, 196
- JEANSSON, S. *see* BAIG, S.
- JEWELL, D.P. *see* WU, K.C.
- JIMENEZ, A., LOPEZ-TRASCASA, M. & FONTAN, G. Incidence of selective IgG2 deficiency in patients with vasculitis, 149
- JUAREZ, C. *see* AMENGUAL, M.J.
- JUNG, C.C. *see* MULLER, C.P.
- JUNG, G. *see* MULLER, C.P.
- KAISERLIAN, D. *see* VUITTON, D.A.
- KANARIOU, M., HUBY, R., LADYMAN, H., COLIC, M., SIVOLAPENKO, G., LAMPERT, I. & RITTER, M. Immunosuppression with cyclosporin A alters the thymic microenvironment, 263
- KANEDA, T. *see* IWATANI, Y.
- KANO, S. *see* KATAKEYAMA, M.
- KASP, E. *see* ATKINSON, E.G.
- KEEP, B.E. *see* POLLOCK, B.J.
- KEEP, P.A. *see* BEGENT, R.H.J.
- KEYSTONE, E.C., POPLONSKI, L., SNOW, K.M. & MARTELL, M. Impaired autologous mixed lymphocyte reaction (AMLR) reactivity of peripheral blood T cell subsets in rheumatoid arthritis, 184
- KITANO, A. *see* MATSUMOTO, T.
- KLAJMAN, A. *see* MEKORI, Y.A.
- KLARESKOG, L. *see* KLEINAU, S.
- KLEINAU, S., LARSSON, P., BJORK, J., HOLMDAHL, R. & KLARESKOG, L. Linomide, a new immunomodulatory drug, shows different effects on homologous versus heterologous collagen-induced arthritis in rats, 137
- KLOCKARS, M., HEDENBORG, M., KOISTINEN, J. & ISOBE, T. IgG and IgA enhance the chrysolite-induced production of reactive oxygen metabolites by human polymorphonuclear leucocytes, 372
- KNIGHT, S.C., FRYER, P., GRIFFITHS, S., HARDING, B., DIXEY, J. & ANSELL, B.M. Class II antigens on dendritic cells from the synovial fluid of patients with inflammatory arthritis, 19
- KOBAYASHI, K. *see* MATSUMOTO, T.
- KOIKE, T. *see* SHIGEMOTO, K.
- KOISTINEN, J. *see* KLOCKARS, M.
- KRUG, H.E., MAHOWALD, M.L. & CLARK, C. Progressive ankylosis (ank/ank) in mice: an animal model of spondyloarthropathy. III. Proliferative spleen cell response to T cell mitogens, 96
- KUBO, S. *see* SHIGEMOTO, K.
- KUMA, K. *see* IWATANI, Y.
- KUMAGAI, S., ISHIDA, H., IWAI, K., TSUBATA, T., UMEHARA, H., OZAKI, S., SUGINOSHITA, H., ARAYA, S. & IMURA, H. Possible different

- mechanism of B cell activation in systemic lupus erythematosus and rheumatoid arthritis: opposite expression of low-affinity receptor, 348
- KURASHIMA, C. see HAYASHI, Y.
- KURPISZ, M., CLARK, G.F., MAHONY, M., ANDERSON, T.L. & ALEXANDER, N.J. Mouse monoclonal antibodies against human sperm: evidence for immunodominant glycosylated antigenic sites, 250
- LADJEVA, I., PETERMAN, J.H. & MESTECKY, J. IgA subclasses of human colostral antibodies specific for microbial and food antigens, 84
- LADYMAN, H. see KANARIU, M.
- LAFFEBER, G.J.M. see HEURKENS, A.H.M.
- LAMPERT, I. see KANARIU, M.
- LANDAY, A.L. see ZELLER, J.M.
- LAPPIN, D. see MOFFAT, G.J.
- LAROCHE, L. see VUITTON, D.A.
- LARSSON, P. see KLEINAU, S.
- LEFEBVRE, P. see PRIN, L.
- LEHNER, T. see POULTER, L.W.
- LENGAGNE, R. see MAGNUSSON, Y.
- LENYS, D. see BRESSON-HADNI, S.
- LI VECCHI, M., DAVIN, J.C., CASTRONOVO, V., FOIDART, J.M. MALAISE, M. FOIDART, J.B. BARBAGALLO SANGIORGI, G. & MAHIEU, P. Reactivity of human anti- α -galactosyl IgG antibody with (1 \rightarrow 3)-linked galactosyl epitopes exposed on basement membranes and on glomerular epithelial cells: an *in vitro* and *in vivo* study in the mouse, 271
- LIANCE, M. see BRESSON-HADNI, S.
- LIMPENS, J. & SCHEPER, R.J. Synergistic effects of locally administered cytostatic drugs and a surfactant on the development of delayed-type hypersensitivity to keyhole limpet haemocyanin in mice, 256
- LINDSEY, N. see HOLT, C.M.
- LINK, H. see BAIG, S.
- LOISEAU, S. see PRIN, L.
- LOPEZ-TRASCASA, M. see JIMENEZ, A.
- LOVE, A. see BAIG, S.
- MACSWEEN, J.M. see FERNANDEZ, L.A.
- MADI, N., PACCAUD, J.P., STEIGER, G. & SCHIFFERLI, J.A. Immune adherence of nascent hepatitis B surface antigen-antibody complexes *in vivo* in humans, 201
- MAGNUSSON, Y., HOYER, S., LENGAGNE, R., CHAPOT, M.-P., GUILLET, J.-G., HJALMARSON, A., STROBERG, A.D. & HOEBEKE, J. Antigenic analysis of the second extra-cellular loop of the human beta-adrenergic receptors, 43
- MAHIDA, Y.R. see WU, K.C.
- MAHIEU, P. see LI VECCHI, M.
- MAHONY, M. see KURPISZ, M.
- MAHOWALD, M.L. see KRUG, H.E.
- MAIKOE, T. see WISMANS, P.J.
- MAINI, R.N. see APPLEBY, P.
- MAINI, R.N. see BABOONIAN, C.
- MAINI, R.N. see FIELD, M.
- MALAISE, M. see LI VECCHI, M.
- MALIA, R.G. see HOLT, C.M.
- MARTELL, M. see KEYSTONE, E.C.
- MARTORELL, J., FONT, J., ROJO, A., VILELLA, R., INGELMO, M. & VIVES, J. Responsiveness of systemic lupus erythematosus T cells to signals provided through LCA T200 (CD45) and T1 (CD5) antigens, 172
- MARUYAMA, M. see SUZUKI, H.
- MARUYAMA, N. see SHIGEMOTO, K.
- MASON, D.Y. see SUTTON, L.N.
- MATSUMOTO, T., KITANO, A., NAKAMURA, S., OSHITANI, N., OBATA, A., HIKI, M., HASHIMURA, H., OKAWA, K., KOBAYASHI, K. & NAGURA, H. Possible role of vascular endothelial cells in immune responses in colonic mucosa examined immunocytochemically in subjects with and without ulcerative colitis, 424
- MATSUZUKA, F. see IWATANI, Y.
- MCCARTHEY, D.A. see FIELD, M.
- MC ELROY, P.J. HENDERSON, F.I. & BROWN, D.L. Immune status and response to immunization with polysaccharide vaccines of a healthy, congenitally asplenic woman, 402
- MCKENZIES, A.S. see POLLOCK, B.J.
- MCPHEE, D.A. see POLLOCK, B.J.
- MEKORI, Y.A., CHOWERS, Y., DRUCKER, I. & KLAJMAN, A. Inhibition of delayed hypersensitivity reactions by colchicine. I. Colchicine inhibits interferon-gamma-induced expression of HLA-DR on gut epithelial cell line, 230
- MELLORS, R.C. see GHARAVI, A.E.
- MESSNER, R.P. see THOMAS, T.J.
- MESTECKY, J. see LADJEVA, I.
- MIGUET, J.P. see BRESSON-HADNI, S.
- MIHARA, M. & OHSUGI, Y. Autoimmune kidney disease in MRL/Mp-1pr/1pr mice inhibited by OK-432, a streptococcal preparation, 101
- MILLRAIN, M. see ROZYNKA, K.E.
- MINATO, N. see HATAKEYAMA, M.
- MINODA, M., HAMADA, K., HIGASHIKAWA, M., SUGUSHIMA, H., FUNAUCHI, M. & HORIUCHI, A. Examination of the inhibitory effects of interferon- γ on interleukin-4-induced stimulation of resting B cells from NZB/NZW F1 mice, 114
- MISHRA, R.S. see MOUDGIL, K.D.
- MITCHELL, J.A., SIM, R.B. & SIM, E. CR1 polymorphism in hydralazine-induced systemic lupus erythematosus: DNA restriction fragment length polymorphism, 354
- MIYAKI, K. see IWATANI, Y.
- MIYAZAKI, M. see SAKAI, H.
- MOFFAT, G.J., LAPPIN, D., BIRNIE, G.D. WHALEY, K. Complement biosynthesis in human synovial tissue, 54
- MONOYMA, S. see MORIO, T.
- MONTEIRO, Y.M. see RAJASEKARIAH, G.R.
- MORIO, T., MONOYMA, S. & YATA, J. Suppression of *in vitro* immunoglobulin synthesis of CD16 (Leu11)⁺CD56 (NKH1, Leu19)⁺ non-T lineage NK cells; lack of suppression of cells from immunodeficient patients, 159
- MOUDGIL, K.D., GUPTA, S.K., NARAYAN, P.R., SRIVASTAVA, L.M., MISHRA, R.S. & TALWAR, G.P. Antibody response to phenolic glycolipid I and *Mycobacterium w* antigens and its relation to bacterial load in *M. leprae*-infected mice and leprosy patients, 214
- MOULT, J. see HOLT, C.M.
- MOUTON, Y. see HOBER, D.
- MUDDE, G.C. see WISMANS, P.J.
- MULLER, C.P., BUHRING, H.J., BECKER, G., JUNG, C.C., JUNG, G., TROGER, W., SAALMULLER, A., WIESMULLER, K.H. & BESSLER, W.G. Specific antibody response towards predicted epitopes of the epidermal growth factor induced by thermostable synthetic peptide adjuvant, 499
- MULLER, F., FROLAND, S.S. & BRANDTZAEG, P. Altered IgG-subclass distribution in lymph node cells and serum of adults infected with human immunodeficiency virus (HIV), 153
- NAGASAWA, H. see OKA, M.
- NAGURA, H. see MATSUMOTO, T.
- NAKAMURA, S. see MATSUMOTO, T.
- NARAYAN, P.R. see MOUDGIL, K.D.
- NATVIG, J.B. see RANDEN, I.
- NELSON, R.D. see FIELD, M.
- NETTO, A. see RAJASEKARIAH, G.R.
- NIMMO, J.C. see STARLING, G.C.
- NOMOTO, Y. see SAKAI, H.
- NOUN, A., ACKER, G.M., CHOUAT, G., ANTOINE, J.C. & GARABEDIAN, M. Cells bearing granulocyte-macrophage and T lymphocyte antigens in the rat uterus before and during ovum implantation, 494
- NOWELL, N.R. see HOLT, C.M.
- OBATA, A. see MATSUMOTO, T.
- OHSUGI, Y. see MIHARA, M.
- OKA, M., NAGASAWA, H., ITO, Y. & HIMENO, K. Granulocyte-macrophage colony-stimulating activity in the serum of mice stimulated with homogenates of *Trypanosoma gambiense*, 285
- OKAWA, K. see MATSUMOTO, T.
- OLSSON, O. see BAIG, S.
- OLSSON, T. see BAIG, S.
- ORMEROD, A.D. see HORROCKS, C.
- OSHITANI, N. see MATSUMOTO, T.
- OZAKI, S. see KUMAGAI, S.
- PACCAUD, J.P. see MADI, N.
- PARKER, C.J. see CHEUNG, A.K.

- PASTORELLI, G., RONCAROLO, M.G., TOURAINE, J.L., PERONNE, G., TOVO, P.A. & DE VRIES, J.E. Peripheral blood lymphocytes of patients with common variable immunodeficiency (CVI) produce reduced levels of interleukin-4, interleukin-2 and interferon-gamma, but proliferate normally upon activation by mitogens, 334
- PASTORELLI, G., RONCAROLO, M.G., TOURAINE, J.L., ROUSSET, F., PENE, J. & DE VRIES, J.E. Interleukin-4 suppresses immunoglobulin production by peripheral blood lymphocytes of patients with common variable immunodeficiency (CVI) induced by supernatants of T cell clones, 341
- PATNAIK, N.M. *see* RAVINDAN, B.
- PEAKE, P.W., PUSSELL, B.A., CHARLESWORTH, J.A. & GAVRILOVIC, L. Differences in the metabolism of C4 isotypes in patients with complement activation, 49
- PENE, J. *see* PASTORELLI, G.
- PERONNE, G. *see* PASTORELLI, G.
- PERRONNE, C. *see* DROMER, F.
- PETERMAN, J.H. *see* LADJEVA, I.
- PETRASCH, S., WACKER, H.H., ZOU, P., BECHTOLD, D. & BRITTINGER, G. Enhancement in number and function of antigen-presenting cells in the lymphatic tissue of rats after *in vivo* administration of diphenylhydantoin (DPH), 132
- POEL, J. *see* WISMANS, P.J.
- POLLARD, K.M. *see* HULTMAN, P.
- POLLOCK, B.J., MCKENZIES, A.S., KEMP, B.E., MCPHEE, D.A. & D'APICE, A.J.F. Human monoclonal antibodies to HIV-1: cross reactions with gag and env products, 323
- POPLONSKI, L. *see* KEYSTONE, E.C.
- POULTER, L.W. & LEHNER, T. Immunohistology of oral lesions from patients with recurrent ulcers and Behçet's syndrome, 189
- PRASAD, M. *see* GRAVES, P.M.
- PRIDDLE, J.D. *see* WU, K.C.
- PRIN, L., LEFEBVRE, P., GRUART, V., CAPRON, M., STORME, L., FORMSTECHER, P., LOISEAU, S. & CAPRON, A. Heterogeneity of human eosinophil glucocorticoid receptor expression in hypereosinophilic patients: absence of detectable receptor correlates with resistance to corticotherapy, 383
- PUJOL, A. *see* AMENGUAL, M.J.
- PUSSELL, B.A. *see* PEAKE, P.W.
- RACADOT, E. *see* BRESSON-HADNI, S.
- RAJASEKARIAH, G.R., MONTEIRO, Y.M., NETTO, A., DESHPANDE, L. & SUBRAHMANYAM, D. Protective immune response with trickle infections of third-stage filarial larvae of *Wuchereria bancrofti* in mice, 292
- RANDEN, I., THOMSON, K.M., NATVIG, J.B., FORRE, O. & WAALLEN, K. Human monoclonal rheumatoid factors derived from the polyclonal repertoire of rheumatoid synovial tissue: production and characterization, 13
- RAVINDAN, B., SATAPATHY, A.K., HUSSAIN, T. & PATNAIK, N.M. Antibodies in human filariasis sera react with diethylcaramazine, 219
- REDMAN, C.W.G. *see* SUTTON, L.N.
- RIGGS, S.J. *see* BEGENT, R.H.J.
- RITTER, M. *see* KANARIOU, M.
- ROBSON, D.A. *see* FERNANDEZ, L.A.
- RODRIGUEZ, J.L. *see* AMENGUAL, M.J.
- ROFFE, L.M. *see* APPELBY, P.
- ROFFE, L.N. *see* BABOONIAN, C.
- ROJO, A. *see* MARTORELL, J.
- RONCAROLO, M.G. *see* PASTORELLI, G.
- ROTHBERG, L. *see* ZELLER, J.M.
- ROUSSET, F. *see* PASTORELLI, G.
- ROZYNKA, K.E., SPICKETT, G.P., MILLRAIN, M., EDWARDS, A., BRYANT, A., WEBSTER, A.D.R. & FARRANT, J. Accessory cell and T cell defects in acquired and inherited hypogammaglobulinaemia, 1
- RUERS, T.J.M. *see* DEBETS, J.M.H.
- SAALMULLER, A. *see* MULLER, C.P.
- SAKAI, H., MIYAZAKI, M., ENDO, M. & NOMOTO, Y. Increase of IgA-specific switch T cells in patients with IgA nephropathy, 378
- SATAPATHY, A.K. *see* RAVINDAN, B.
- SAXENA, R., BYGREN, P., BUTKOWSKI, R. & WIESLANDER, J. Specificity of kidney-bound antibodies in Goodpasture's syndrome, 31
- SCHELLEKENS, H. *see* WIESENBERG, I.
- SCHERER, R.J. *see* LIMPENS, J.
- SCHIFFERLI, J.A. *see* MADI, N.
- SCHREIBER, L. *see* FIELD, M.
- SCHWARTING, R. *see* SELLHEYER, K.
- SEARLE, F. *see* BEGENT, R.H.J.
- SELLHEYER, K., SCHWARTING, R. & STEIN, H. Isolation and antigenic profile of follicular dendritic cells, 431
- SHIGEMOTO, K., MARUYAMA, N., ITOH, Y., KUBO, S. & KOIKE, T. Murine leukaemia virus gene product as an acute phase protein: complete suppression of serum gp70 synthesis in hepatocytes of B10.7 mice, 484
- SILVA, M.T. *see* APPELBERG, R.
- SIM, E. *see* MITCHELL, J.A.
- SIM, R.B. *see* MITCHELL, J.A.
- SIVOLAPENKO, G. *see* KANARIOU, M.
- SKAMENE, E. *see* DENIS, M.
- SNOW, K.M. *see* KEYSTONE, E.C.
- SPICKETT, G.P. *see* ROZYNKA, K.E.
- SRIVASTAVA, L.M. *see* MOUDGIL, K.D.
- STARLING, G.C., DAVIDSON, S.E., NIMMO, J.C., BEARD, M.E.J. & HART, D.N.J. Inhibition of non-MHC-restricted cytotoxicity by CD45 but not CD3 monoclonal antibodies in patients with large granular lymphoproliferative disease, 396
- STEIGER, G. *see* MADI, N.
- STEIN, H. *see* SELLHEYER, K.
- STEWART, M.W. *see* HOLLAND, G.P.
- STOLK, B. *see* WISMANS, P.J.
- STORME, L. *see* PRIN, L.
- STROSBERG, A.D. *see* MAGNUSSON, Y.
- SUBRAHMANYAM, D. *see* RAJASEKARIAH, G.R.
- SUGINOSHITA, T. *see* KUMAGAI, S.
- SUGUSHIMA, H. *see* MINODA, M.
- SUTTON, L.N., MASON, D.Y. & REDMAN, C.W.G. Isolation and characterization of human fetal macrophages from placenta, 437
- SUZUKI, H., YAMASHITA, N., MARUYAMA, M., YOSHIKAWA, T. & YANO, S. Human lymphokine-activated killer cells suppress pokeweed mitogen-induced immunoglobulin synthesis, 406
- SYLVAN, S.P.E. & HELLSTROM, U.B. Characterization of hepatitis B surface antigen (HBsAg) induced interleukin-2 secretion in chronic asymptomatic carriers of HBsAg, 207
- TACHI, J. *see* IWATANI, Y.
- TALWAR, G.P. *see* MOUDGIL, K.D.
- TAMAKI, H. *see* IWATANI, Y.
- TAN, E.M. *see* HULTMAN, P.
- TEXIER, B. *see* BOISSIER, M.C.
- THOMAS, T.J. & MESSNER, R.P. Beneficial effects of a polyamine biosynthesis inhibitor on lupus in MRL-1pr/1pr mice, 239
- THOMSON, A.W. *see* HORROCKS, C.
- THOMSON, K.M. *see* RANDEN, I.
- TIPPING, P.G., BOYCE, N.W. & HOLDSWORTH, S.R. Relative contributions of chemo-attractant and terminal components of complement to anti-glomerular basement membrane (GBM) glomerulonephritis, 444
- TOH, B.H. *see* ALDERUCCIO, F.
- TOURAINE, J.L. *see* PASTORELLI, G.
- TOVO, P.A. *see* PASTORELLI, G.
- TROGER, W. *see* MULLER, C.P.
- TSUBATA, T. *see* KUMAGAI, S.
- UMEHARA, H. *see* KUMAGAI, S.
- UTSUYAMA, M. *see* HAYASHI, Y.
- VAN DER LINDEN, C.J. *see* DEBETS, J.M.H.
- VAN DER LINDEN, M.P.M.H. *see* DEBETS, J.M.H.
- VAN DER MEIDE, P.H. *see* WIESENBERG, I.
- VAN DER WOUDE, F.J., DAHA, M.R. & VAN ES, L.A. Review: the current status of neutrophil cytoplasmic antibodies, 143
- VAN ES, L.A. *see* VAN DER WOUDE, F.J.
- VAN HATTUM, J. *see* WISMANS, P.J.
- VENABLES, P.J.W. *see* APPELBY, P.
- VENABLES, P.J.W. *see* BABOONIAN, C.
- VILDE, J.L. *see* DROMER, F.
- VILELLA, R. *see* MARTORELL, J.
- VIVES, J. *see* MARTORELL, J.

- VUITTON, D.A. *see* BRESSON-HADNI, S.
- VUITTON, D.A., BRESSON-HADNI, S., LAROCHE, L., KAISERLIAN, D., GUERET-STOCKER, S., BRESSON, J.L. & GILLET, M. Cellular immune response in *Echinococcus multilocularis* infection in humans. II. Natural killer cell activity and cell subpopulations in the blood and in the periparasitic granuloma of patients with alveolar echinococcosis, 67
- WALEN, K. *see* RANDEN, I.
- WACKER, H.H. *see* PETRASCH, S.
- WATTRE, P. *see* HOBER, D.
- WEBSTER, A.D.B. *see* FARRANT, J.
- WEBSTER, A.D.B. *see* ROZYNSKA, K.E.
- WHALEY, K. *see* MOFFAT, G.J.
- WIESENBERG, I., VAN DER MEIDE, P.H., SCHELLEKENS, H. & ALKAN, S.S. Suppression and augmentation of rat adjuvant arthritis with monoclonal anti-interferon-gamma antibody, 245
- WIESLANDER, J. *see* SAXENA, R.
- WIESMULLER, K.H. *see* MULLER, C.P.
- WILCOX, L. *see* CHEUNG, A.K.
- WILLIAMS, B.D. *see* YOUSSEF, N.
- WILLIAMS, D.G. *see* APPLEBY, P.
- WILLIAMS, D.G. *see* BABOONIAN, C.
- WILLIAMS, D.G. *see* FIELD, M.
- WIRTZ, R.A. *see* GRAVES, P.M.
- WISMANS, P.J., VAN HATTUM, J., DE GAST, G.C., ENDEMAN, H.J., POEL, J., STOLK, B., MAIKOE, T. & MUDDE, G.C. The spot-ELISA: a sensitive *in vitro* method to study the immune response to hepatitis B surface antigen, 75
- WITHERDEN, D. *see* ALDERUCCIO, F.
- WOODROW, D.F. *see* BEGENT, R.H.J.
- WU, K.C., MAHIDA, Y.R., PRIDDLE, J.D. & JEWELL, D.P. Immunoglobulin production by isolated intestinal mononuclear cells from patients with ulcerative colitis and Crohn's disease, 37
- YAMASHITA, N. *see* SUZUKI, H.
- YANO, S. *see* SUZUKI, H.
- YATA, J. *see* MORIO, T.
- YENI, P. *see* DROMER, F.
- YOSHIKAWA, T. *see* SUZUKI, H.
- YOUSSEF, N., HOWARD, J.C. & WILLIAMS, B.D. Demonstration of hepatic Fc receptor function *in vivo*, 278
- ZELLER, J.M., ROTHBERG, L. & LANDAY, A.L. Evaluation of human monocyte oxidative metabolism utilizing a flow cytometric assay, 90
- ZOU, P. *see* PETRASCH, S.

Subject Index

- 2',7' dichlorofluorescein, 91
 α -(1 \rightarrow 3)-linked galactosyl, 271
 AIDS, 323, 329, 431
 Accessory cell defects, 1
 Activation, 49
 Acute phase protein, 484
 Adenovirus, 454
 Adherence, immune, 201
 Adjuvant arthritis, 245
 Affinity, 488
 Affinity maturation, 488
 African trypanosomiasis, 285
 Ageing, 120
 Allotypes, C4, 49
 Ankylosing spondylitis, 97
 Anti-DNA antibodies, 233, 239
 Anti-GBM antibodies, 31
 Anti-cardiolipin antibodies, 143, 233, 359
 Anti-drug antibodies, 219
 Anti-nuclear antibodies, 470
 Antibodies, human monoclonal, 323
 Antibodies, anti-DNA, 233, 239
 Antibodies, anti-GBM, 31
 Antibodies, anti-cardiolipin, 233, 359
 Antibodies, anti-cytoplasmic, 143
 Antibodies, anti-drug, 219
 Antibodies, bacterial, 214
 Antibodies eluted, 31
 Antibodies, monoclonal, 250, 307, 412
 Antibody, IgG, 271
 Antibody, TSH-receptor, 196
 Antibody-dependent cellular cytotoxicity, 359
 Antigen presenting cells in inflammation, 19
 Antigen-presenting cells, 424
 Antigenic mimicry, 219
 Antigens, 75
 Antigens, food, 85
 Antigens, microbial, 85
 Arthritis, 138
 Arthritis, adjuvant, 245
 Arthritis, juvenile chronic, 19
 Arthritis, rheumatoid, 184
 Asymptomatic hepatitis B surface antigen carriers, 207
 Autoantibodies, 80, 102, 460
 Autoantibodies, circulating, 120
 Autoantibodies, type II collagen, 177
 Autoantigens, 80
 Autoimmune, 120
 Autoimmune disease, 102
 Autologous mixed lymphocyte reaction, 184
- B cell colonies, 314
 B cell colony assay, 314
 B cell differentiation, 348
 B cell hyperactivity, 348
 B cell-cytokine interactions, 321
 B cells, 465
 B-adrenergic receptors, 42
 BCG, 127
 Bacterial antibodies, 214
 Basement membrane glycoproteins, 271
 Behçet's syndrome, 189
 Bovine collagen II, 138
- C3 receptors, 431
 C4 allotypes, 49
 CD16⁺ cells, 159
 CD19 cells, 314
 CD4, 378
 CD45, 172
 CD5⁺ B cells, 196
 CD5, 172
 CD8 cells, 488
 CR1, 354
 Carcinoembryonic antigen, 307
 Chemotaxis, 478
 Chronic granulomatous disease, 91
 Chrysotile asbestos, 372
 Circulating autoantibodies, 120
 Circulating immune complexes, 354
 Class II MHC antigen, 437
 Cobra venom factor, 299
 Colchicine, 230
 Colostrum, 85
 Common variable hypogammaglobulinaemia, 1
 Common variable immunodeficiency patients, 341
 Common variable immunodeficiency, 334
 Complement, 49, 299, 412, 444
 Complement biosynthesis, 54
 Complement receptor type 1, 201
 Complexes, immune, 278
 Congenital asplenia, 402
 Corticosteroids, 224
 Crohn's disease, 37
 Cryptococcosis, experimental, 412
Cryptococcus neoformans, 412
 Cultured glomerular epithelial cells, 271
 Cyclosporin A, 108, 166, 263
 Cytokines, 329, 366
 Cytostatic drugs, 256
 Cytotoxicity, 329
 Cytotoxicity, non-MHC restricted, 396
- DDA, 256
 Degranulation, 366
 Delta infection, 80
 Diethylcarbamazine, 219
 Difluoromethylornithine, 239
 Diphenylhydantoin, 133
 Disease, chronic granulomatous, 91
 Disease, Crohn's, 37
 Disease, Graves', 196
 Disease, large granular lymphoproliferative, 396
 Drugs, cytostatic, 256
- ELISA, 75
Echinococcus multilocularis, 61, 67
 Electron microscopy, 67
 Eluted antibodies, 31
 Endothelial cells, 424
 Endothelium, 7, 359
 Eosinophils, 383
 Epidermal growth factor receptor, 166, 499
 Epithelial HLA-DR, 189
 Epithelial cells, cultured glomerular, 271
 Epitope mapping, 42
 Experimental autoallergic uveitis, 108
 Experimental cryptococcosis, 412

- Fc receptors, 431
Fce receptor, 348
Feedback suppression, 314
Fibroblasts, 26
Filariasis, 219
Flow cytometry, 91
Follicular dendritic cells, 431
Food antigens, 85
- Gametes, 418
Glomerular basement membrane, 444
Glomerulonephritis, 143, 144
Glucocorticoids, 383
Glycolipids, sperm, 250
Glycoproteins, 26
Glycoproteins, basement membrane, 271
Goodpasture antigen, 31
Granulocyte-macrophage colony stimulating factor, 285
Granulocyte-macrophage, 494
Granuloma, 67
Graves' disease, 196
- HIV, 153
HIV-1, 323
HIV-1 infection, 133
HLA, 418
HLA-DR antigen, 424
HLA-DR, epithelial, 189
Hashimoto's thyroiditis, 196
Henoch-Schönlein syndrome, 149
Hepatic Fc receptor, 278
Hepatitis B antibodies, 75
Hepatitis B antigens, 75
Hepatitis B surface antigens, 201
Hepatitis B vaccine, 207
Herpes simplex virus, 390
Histocompatibility antigens in inflammation, 19
Human alveolar echinococcosis 61, 67
Human anti- α -galactosyl, 271
Human monoclonal antibodies, 323
Human placenta, 437
Hydralazine-induced systemic lupus erythematosus, 354
Hydrogen peroxide, 91
Hypereosinophilic syndrome, 383
Hypertension, pulmonary, 299
Hyperthyroidism, 196
Hypogammaglobulinaemia, 1
- IgA nephropathy, 378
IgA subclass, 153
IgA, 378
IgA1, 85
IgA2, 85
IgG antibody, 271
IgG subclass, 153
IgG2 deficiency, 149
Immune adherence, 201
Immune complex, 49
Immune complexes, 278, 359, 460
Immune complexes, circulating, 354
Immune complexes, nascent, 201
Immune response, 75
Immunity, protective, 292
Immunization, *in vitro*, 323
Immunoblotting, 26
Immunoenhancement, 256
Immunogenicity, 42
Immunoglobulin, 37, 159, 372
Immunoglobulin isotypes, 470
Immunoglobulin production, 341
Immunoglobulin subclasses, 402
Immunoglobulin synthesis, 406
Immunohistochemistry, 120, 424
Immunohistology, 189
Immunomodulation, 245
- Immunospot assays, 390
Immunosuppression, 263, 449
In vitro immunization, 323
Infection, delta, 80
Infections, trickle, 292
Inflammation, 478
Inflammatory arthritis, 19
Inhibition, 224
Interferon-gamma, 115, 230, 245, 334
Interleukin-1, 207
Interleukin-2, 334
Interleukin-2 receptor, 166
Interleukin-4, 115, 334, 341, 365
Intestinal mononuclear cells, 37
Isolation methods, 431
- Juvenile chronic arthritis, 19
- Laminin, murine, 271
Large granular lymphoproliferative disease, 396
Larvae, third-stage, 292
Leprosy, 214
Lesions, 120
Leucocyte common antigen, 396
Leucocytes, 372
Linomide, 138
Lymphadenopathy, 153
Lymphocytes, 26, 120
Lymphokine-activated killer cells, 406
- MRL/1 mice, 102
MRL/lpr mice, 233
Macrophages, 127, 437
Malaria, 418
Measles, 390
Membrane attack complex, 444
Mercury, 470
Metabolism, 49
Mice, 292, 470
Mice, MRL/lpr, 233
Microbial antigens, 85
Microenvironment, 263
Mimicry, antigenic, 219
Mitogens, 97
Monoclonal antibodies, 127, 250, 307, 412
Monoclonal antibodies, human, 323
Monoclonal rheumatoid factor, 13
Monocytes, 91
Mononuclear phagocytic system, 133, 278
Multiple sclerosis, 390
Murine laminin, 271
Murine progressive ankylosis, 97
Mycobacteria, 478
Mycobacterium leprae, 214
- NZB mice, 465
NZB/NZW F1 mice, 115
Nascent immune complexes, 201
Natural killer activity, 67
Natural killer cells, 159
Neoplasms, 307
Nephropathy, IgA, 378
Neutrophils, 143, 366, 478
Non-MHC-restricted cytotoxicity, 396
Nuclear antigens, 454, 460
- OK-432, 102
Ovum implantation, 494
Oxygen metabolites, reactive, 372
- Papua New Guinea, 418
Peptides, 42
Peptides, synthetic, 499
Peripheral blood mononuclear cells, 61, 67
Phagocytosis, 412

- Placenta, human, 437
 Plasma clearance, 460
 Pneumovax, 402
 Polyamines, 239
 Production, 334
 Production, immunoglobulin, 341
 Progressive systemic sclerosis, 26
 Protective immunity, 292
 Psoriasis, 166
 Pulmonary hypertension, 299

 Radioimmunoassay, 329
 Rat collagen II, 138
 Rat uterus, 494
 Reactive oxygen metabolites, 372
 Recurrent oral ulcers, 189
 Relapse, 108
 Residues, 271
 Respiratory burst, 366
 Resting B cells, 115
 Restriction fragment length polymorphism, 354
 Retroviral gp70, 484
 Rheumatoid arthritis, 184, 348
 Rheumatoid vasculitis, 7

 S antigen, 108
 Scleroderma, 470
 Second antibody, 307
 Second signal, 172
 Sjögren's syndrome, 454
 Sm antigen, 460
 Sperm, 250
 Sperm glycolipids, 250
 Spleen cell proliferation, 97
 Spondylitis, ankylosing, 97
 Spondyloarthropathies, 97
 Sporozoites, 418
 Spot-ELISA, 75
Staphylococcus aureus, 366
 Suppression, 406
 Suppressor, 159
 Surface antigens, 127
 Surgery, 256

 Swine, 299
 Switch T cells, 378
 Synovial tissue, 13, 54
 Synthetic peptides, 499
 Synthetic vaccine, 499
 Systemic lupus erythematosus, 172, 233, 239, 348, 354, 449, 465
 Systemic sclerosis, 359

 T cell activation, 172
 T cell clones, 341
 T cell defects, 1
 T cell proliferation, 334
 T cell reactivity, 184
 T cell receptor, 396
 T cells, 143
 T lymphocytes, 494
 TSH-receptor antibody, 196
 Tetanus toxoid, 402
 Third-stage larvae, 292
 Thrombocytopenia, 233
 Thymus, 263
 Thyroiditis, Hashimoto's, 196
 Treatment, 329
 Trickle infections, 292
Trypanosoma gambiense, 285
 Tumour necrosis factor, 224
 Type II collagen autoantibodies, 177

 Ulcerative colitis, 37, 424
 Ulcers, recurrent oral, 189
 Uveitis, experimental autoallergic, 108

 Vaccine, hepatitis B, 207
 Vaccine, synthetic, 499
 Vasculitis, 143, 149
 Viral hepatitis vaccines, 75

 Wisklott-Aldrich syndrome, 159
Wuchereria bancrofti, 219, 292

 Z-DNA, 239
 Z-linked agammaglobulinaemia, 1

